SONORAN DESERT WILLOW HOMEOWNERS ASSOCIATION DESIGN GUIDELINES

Introduction

The Declaration of Covenants, Conditions and Restrictions (CC&Rs) Sonoran Desert Willow Homeowners' Association (the Declaration) provides for an Architectural Control Committee (the "ACC") appointed by the Board of Directors of the Sonoran Desert Willow Homeowners' Association to review additions, modifications and alterations (referred to in this document as an "Alteration) to all Lots within the community and to establish rules and guidelines for such Alterations so that a uniform standard for maintenance can be achieved. This is achieved by balancing individual rights with the community needs and values. Membership on the ACC shall include at least one member of the board of directors who shall serve as chairperson of the committee. (Ref. SB1476, 2012) Capitalized words in this document not otherwise defined shall have the same meaning as described in the Declaration. The purpose of this document is to establish Design Guidelines for the community. These Design Guidelines provide a foundation of criteria for owner projects.

Submittals

All new construction or rebuild of the main residential structure (Ref. SB1476, 2012) or other alterations on the Lot need to be submitted, unless specifically stated otherwise in these Design Guidelines. The Owner shall submit the following to the ACC for approval prior to construction or installation of the Alteration:

- 1. The completed Design Modification Request form, including the signed waiver.
- 2. Plans and specifications for the proposed work, including, if applicable:
 - a. Site plan for the Lot, showing the new construction or rebuild of the main residential structure, or other alteration on the lot in its proposed location along with all other improvements on the Lot (house, driveway, pool, etc.).
 - b. Dimensions from the Alteration to the nearest existing improvement should also be shown. If plants are a part of the Alteration, the type of plant should be shown on the site plan.
 - c. Plans and specification for all above-ground construction (e.g. new construction or rebuild of the main residential structure, shed, patio cover, and gazebo) showing materials, height, width and paint color(s).
 - d. The time frame for beginning and completion of the work.
- 3. Additional information may be requested by the ACC.
- 4. The ACC reserves the right to request "reasonable" modifications to any Alteration, if deemed appropriate.

Variations

The ACC, at its discretion, may approve variations from the Design Guidelines, which will be evaluated on an individual basis.

Permits

The Lot Owner is solely responsible for obtaining all required permits and approvals from applicable public agencies such as County or City. All improvements are subject to all appropriate permits and inspection being obtained.

The ACC shall not knowingly approve any proposal that might violate governmental codes and regulations. However, the approval by the ACC does not indicate or imply compliance with such codes and regulations. Conversely, the governmental approval does not guarantee the ACC will approve the application.

Owner Disputes

The ACC will not address disputes between private property owners, nor will it serve as a liaison for resolving issues. The ACC will address architectural issues only.

General Criteria

All proposals should conform to the following general criteria:

- 1. Positive Visual Impact: harmony with construction and improvements existing on the Owner's lot and in surrounding neighborhood, i.e. similarity of style, material, color, size and quality, including similar character of trees and other landscaping.
- 2. No Adverse Impact: the work does not impair access, sunlight, ventilation or drainage of adjacent properties, and does not create hazard or nuisance of any kind of neighborhood, including light pollution.
- 3. Workmanship: professional, neat, finished, clean, safe.

You may want to discuss your proposal with neighbors before submitting an application to the ACC. In some cases, the ACC may request a written notification of your neighbors to be submitted along with your application, as one of the conditions of approval.

New Construction or Rebuild of the Main Residential Structure on the Lot

- 1. New construction or rebuilds must conform to the outside dimensions of the original structure.
- 2. Changes in footprint or square footage must be approved.
- 3. All outside treatments must conform to appropriate sections of these Design Guidelines.

Lighting

- Accent Malibu type lighting SHALL NOT require approval if less than 15 lights are installed and bulbs are white or amber, not exceeding 18 watts per bulb, not exceeding twenty-four (24) inches in height from ground level, and illumination shall not cause excessive glare or light spillage onto adjacent Lots.
- 2. All flood lights SHALL require approval. All light not installed by the builder, must meet the following requirements:
 - a. The light emitting element and reflecting device of all lighting or illumination units shall be hooded or shielded so that it is not visible from any adjacent Lot or real property.

- b. Lights or illuminating units shall not direct light, either directly or through a reflecting device, upon an adjacent real property.
- c. Motion lights must be turned off within 5 minutes.
- d. Pole lighting is PROHIBITED.
- 3. Rear and side yard lighting shall be confined to patio and pool areas and shall not cause excessive glare or light spillage onto adjacent Lots.
- 4. Holiday lighting SHALL NOT require approval if installed 45 days prior to the holiday and is removed 14 days after the holiday associated with the lighting. The opinion of the ACC as to what constitutes holiday lighting shall be binding.

POLITICAL SIGNS (Ref. HB2471, 2012)

- 1. No limit on political signs so long as the aggregate total dimensions of all political signs do not exceed nine (9) square feet.
- 2. Political signs may not be displayed earlier than seventy-one (71) days before the day of an election and later than three (3) days after an election day.

FOR SALE, FOR RENT AND FOR LEASE SIGNS (Ref. HB2471, 2012)

1. Such signs not commercially produced are prohibited.

Security Signs

Members are permitted to have one (1) sign on their property, which includes information related to a home security system actually in use at that property. Security signs are permitted. Signs SHALL NOT require approval if the total surface area on the display side of the sign will not exceed one hundred and ten (110) square inches. The top of sign shall not be higher than eighteen (18) inches from the surface of the walkway, gravel, dirt, etc. The signs should face the street and shall be located not more than twenty-four (24) inches from the structure.

Front Yard Landscaping/Improvements

- 1. All front yard landscaping SHALL require approval of the ACC prior to installation. Examples include, but are not limited to:
 - a. Hardscape accents (i.e., satillo tile, brick pavers) may be used to construct stepping-stones and borders if the colors are compatible with the community. Acceptable colors include desert hues and other natural colors.
 - b. Lawn ornaments (bird baths, fountains, statues, etc.), except for temporary holiday decorations. Holiday decorations can be installed forty-five (45) days prior to the holiday and must be removed fourteen (14) days after the holiday.
 - c. Hardscape materials (i.e., concrete, brick, flagstone, tile, rock) used to construct new or modified walkways, new driveways or driveway extensions, free-standing walls or retaining walls, porch, patio, or seating areas or other similar structures.
- 2. The following rear and side yard improvements SHALL require approval:
 - a. All trees. (See prohibited plant list.)
 - b. Above ground pools and ancillary equipment.
 - c. Any structures (i.e., storage sheds, patio fireplaces, patio covers, gazebos, etc.).

e. Removal of a wall, or a portion thereof, to facilitate access.

When installing landscaping or irrigation, care must be taken to maintain proper grading to eliminate drainage onto neighboring Lots. Irrigation systems should not produce excessive watering. All exposed pipes are to be painted the color of the surface to which they are attached.

All landscaping and vegetation must adhere to:

Approved plant list – See Appendix A Prohibited plant list – See Appendix B

Display of Flags

Display of the American flag SHALL NOT require approval. Windsocks are limited to the rear yard only.

Pools

- 1. Any wall removed during construction of a pool, spa or other improvement shall be walls situated solely on the Owner's Lot; removal of walls abutting a Common Area shall not be allowed, without the expressed written consent of the Association. Any wall removed shall be replaced in its original state immediately after construction is complete, including stucco, rebar and paint (if originally constructed with stucco, rebar and paint).
- 2. The use of a dry well to retain pool backwash water is recommended. Backwashed water shall not be permitted to seep onto an adjoining Lot or common area.
- 3. Above ground pools and the location of associated pool cleaning and circulation equipment must be approved by the ACC.

Painting – Exterior Color Scheme

Use of the original exterior colors SHALL NOT require approval from the ACC. If you wish to change your present color scheme, and it conforms to any other original color schemes used in the Desert Willow Estates, no ACC approval is required. The ACC shall not limit requested color schemes to those found in the Sonoran Desert Willow Estates development. Requested color schemes shall not be extreme, such as the body paint in a bright pastel or other bright standout color, and must harmonize with the community. The paint on the body of the house should conform to those colors commonly referred to as "earth tones." Harmonizing colors are those color schemes commonly found in and around the Sonoran Desert Willow Estates development and in nearby residential developments.

All colors not currently in use or previously approved by the ACC in the Sonoran Desert Willows Estates development SHALL first be submitted to the ACC for approval.

GARAGE DOORS

Existing and replacement garage doors MUST be painted to match the color of the main body of the residential structure.

Gates

Repainting gates either the original color installed by the builder or the same color as the block wall, or the same color as the house SHALL NOT require approval of the ACC.

New gate installations SHALL require prior written approval of the ACC.

Gate designs and color schemes shall not be extreme, and must harmonize with the community. Harmonizing colors are those color schemes commonly found in and around the Sonoran Desert Willow Estates development and in nearby residential developments.

For additional privacy, natural wood slats (to exclude particle board and plywood) attached to the gate or the use of black metal screening SHALL NOT require the approval of the ACC.

Replacing the wood of gates using either natural cedar or redwood SHALL NOT require the approval of the ACC, so long as protective coatings (paint, stain, etc.) are limited to natural, clear preservative treatments, the dimensions of the gate are not changed, and the metal fasteners (screws, bolts, etc.) are either stainless steel or another material that will not rust or otherwise stain the wood over the life of the gate.

Screens/Security Doors

Security doors SHALL NOT require the approval of the ACC if they are wrought iron, are painted in colors that are not extreme, such as bright pastel or other bright standout colors, and harmonize with the community. Harmonizing colors are those colors commonly found in and around the Sonoran Desert Willow Estates development and nearby residential developments.

Screen or security doors constructed of any other material or color SHALL require the prior written approval of the ACC.

Security bars over windows are prohibited.

Gutters and Downspouts

The installation of gutters and downspouts SHALL NOT require the approval of the ACC if they are painted to match or blend with the color of the house or trim adjacent to where the installation occurs. The natural drainage pattern should not be affected by the installation of the gutters.

Prohibited Modifications and Additions

Changing of the established rainwater drainage pattern shall be prohibited, whether within the perimeter walls or elsewhere upon the Lot.

Storage Sheds

SHEDS CONSTRUCTED ON SITE:

- 1. SHALL be submitted to the ACC for approval prior to construction.
- 2. Placement of any on-site constructed shed must be shown on a site plan, in relation to the placement of your house and neighboring property walls.
- 3. No more than one foot (12") of the height of the shed at its highest point, including any additions such as ventilators, etc., may be visible above any property wall.
- 4. Must be placed five feet (5') from any wall adjacent to another owner's property, including common area property.
- 5. All ventilators must be painted to match the house or trim color.
- 6. Sheds must be painted to match color of body of house.
- 7. Consideration will be given to the impact on neighboring properties as well as properties with a view of the shed site.

METAL SHEDS ARE PROHIBITED

COMMERCIALLY AVAILABLE SHEDS AND STORAGE LOCKERS ASSEMBLED ON SITE AND PRE-ASSEMBLED SHEDS PLACED ON SITE

- 1. SHALL be submitted to the ACC for approval prior to assembly or placement.
- 2. Placement of shed must be shown on a site plan, in relation to the placement of your house and neighboring property walls.
- 3. No more than one foot (12") of the height at the highest point of the shed or storage locker, including any additions such as ventilators, etc., may be visible above any property wall.
- 4. Must be placed five feet (5') from any wall adjacent to another owner's property, including common area property.
- 5. All ventilators must be painted to match the house or trim color.
- 6. Any paint on sheds must match the house color.
- 7. Consideration will be given to the impact on neighboring properties as well as properties with a view of the shed site.

Commercially available sheds or storage lockers less than the height of property walls SHALL NOT require ACC approval.

Temporary/Permanent Basketball Standards/Hoops

All basketball hoops, portable or fixed as permanent, are required to be placed in the **REAR YARD ONLY**. Basketball hoops stored hanging over a wall or on the ground where they can be seen from the street are prohibited.

Play and Exercise Equipment

All Play Equipment that (a) exceeds the height of eight feet (8') from ground level to the cross bar or the highest point, and/or (b) is placed within ten feet (10') from all neighboring boundaries SHALL require ACC approval.

The ACC shall consider Play Equipment if it adheres to the following guidelines:

- 1. Climbing platforms and slides shall be placed not higher than two (2) feet below the highest point of the rear yard fence to protect the privacy of neighboring Owners.
- 2. Play Equipment exceeding the height of eight feet (8') and/or not placed a minimum of ten feet (10') from all neighboring boundaries shall be screened from said adjoining property by shrubs or trees which will equal the height of the Play Equipment within a reasonable time period. The ACC may require that equipment be painted a color compatible with the house on the subject Lot.
- 3. Brightly colored canopies, roofs, or other visual distractions which are attached to the Play Equipment shall not be visible from Neighboring Property.
- 4. Any lights on the Play Equipment must meet the requirements in the Lighting section of these design guidelines.
- 5. Written consent of adjacent Lot owners should be included with the submittal.

Ramadas

- 1. All Ramadas SHALL require ACC approval.
- 2. Any Ramada exceeding the height of ten feet (10') and/or not placed a minimum of ten feet (10') from all neighboring boundaries shall be screened from said adjoining property by shrubs or trees, which will equal the height of the Ramada within a reasonable time period. The ACC may require that the Ramada be painted a color compatible with the house on the subject Lot.
- 3. Any lights on the Ramada must meet the requirements in the Lighting section of these design guidelines.
- 4. Written consent of adjacent Lot Owners should be included in the submittal.

Short Wave Radio Antennas

Short wave radio antennas SHALL NOT require prior written approval but may not exceed twelve (12) feet in height above the roof line if the antenna complies with the following restrictions. Those requiring more than twelve feet must prove the necessity.

- 1. The antenna must be placed on the Lot in such a manner as to minimize its visibility from the street, unless it is impossible to do so without impairing the user's ability to receive a satisfactory signal to make the receiver/transmitter operationally efficient.
- 2. An antenna as described above SHALL **NOT** BE MOUNTED in a front yard.

Antennas/Satellite Dishes

An antenna one meter (39.37") or less in diameter or diagonal measurement which is designed to receive signals from direct broadcast satellites (DBS), internet connectivity providers, or designed to receive video programming services from multi-channel multi-point distribution (wireless cable) providers (MNMS) or an antenna that is designed to receive television broadcast signals (TVBS) may be placed, installed, or kept on a Lot if the antenna complies with the following restrictions in compliance with the Telecommunications Act of 1996, FCC Over-The-Air-Reception-Devices rules, and amendments to these rule in 1999 and 2000:

- 1. The antenna must be placed on the Lot in such a manner as to minimize its visibility from the street, unless it is impossible to do so without impairing the user's ability to receive a satisfactory signal to make the receiver/transmitter operationally efficient.
- 2. An antenna as described above SHALL **NOT** BE MOUNTED in a front yard.

No restriction contained in this section shall be deemed to impair the user's ability to receive signals from a provider of DBS, MMDS or TVBS or unreasonably delay or prevent installation, maintenance or use of the antenna, unreasonably increase the cost of installation, maintenance or use of the antenna or preclude reception of an acceptable quality signal.

No antenna which is designed to receive signals from DBS or MMDS and which exceeds one meter across in measurement and no mast which exceeds twelve feet (12') in height above the roofline may be placed, installed, constructed or kept on any Lot without the prior written approval of the ACC.

Street side mailboxes

Non-secure mailboxes shall conform to the existing color, style, and type of non-secure mail boxes currently in use in the Sonoran Desert Willow Estates (development).

Locking mailboxes may be used and SHALL need the prior approval of the Architectural Control Committee (ACC). Locking mail boxes shall conform to the color and positioning of non-secure mailboxes currently in use in the development. Approval from the neighbor currently sharing the mailbox post with the applicant seeking modification is required prior to ACC approval. Non-secure mailboxes previously sharing mailbox posts will need to be moved to leave the remaining non-secure mailbox straddling the post, the cost of this change will be paid by the modification applicant. The new locking mailbox request shall meet the mounting and positioning requirements of the U.S. Postal Service, prior to approval by the ACC.

The following plants are approved for use at Desert Willow Estates in designated areas. Plants approved for revegetation in Natural Areas (indigenous plants) are designated by (N). Plants approved for use within the Development Envelope in Transitional Areas are designated by (T) and include all (N) plants. Plants approved for use in the Private Areas are designated by (P) and include both (N) and (T) plants. Some of the varieties listed may need protection from freezing, check with your local nurseryman and/or landscape architect.

All Natural and Transitional Areas which are disturbed and/or vegetation has been destroyed or removed during construction shall be revegetated with plant types and minimum densities as follows: For every six hundred (600) square feet of disturbed area, the Builder-Developer must plant (2) desert trees, minimum 15 gallon size; (6) desert shrubs, minimum 5 gallon size; and (6) desert shrubs, minimum one gallon size. Cactus may be substituted 2 for 1 for one-gallon shrubs. All container plantings shall be maintained on an irrigation system until the contained plantings are fully established. In addition, the entire disturbed area shall be seeded with a seed mix approved by the AC and watered a minimum of three times per day for two weeks. Further, plant materials salvaged as required in the conservation requirements (see Appendix C) are encouraged to be incorporated into the landscaping scheme for these areas. High visibility Natural and Transitional Areas may require additional vegetation/re-vegetation as determined appropriate by the Declarant.

Trees:

$ec{T}$.:	Acacia abyssinica	Abyssinian Acacia
N		Acacia constricta	Whitethorn Acacia
N	•	Acacia farnesiana	Sweet Acacia
N		Acacia greggi	Cat Claw Acacia
N		Acacia smalii	Southwest sweet Acacia
T		Acacia stenophylla	Shoestring Acacia
N		Canotia holacantha	
N		Celtis pallida	Desert hackberry
T		Celtis reticulata	Netleaf hackberry
T		Celtis douglasii	Western hackberry
N		Cercidum floridum	Blue Palo Verde
N		Cercidum michophyooum	Foothills Palo Verde
N		Chilopis linearis	Desert Willow
\boldsymbol{P}		Eriobotrya japonica	Loquat
T		Laurus nobilis	Sweet Bay
N		Olneya tesota	Ironwood
T		Pithecellobium flexicaule	Texas Ebony
N		Prosopis ssp	Mesquite
\boldsymbol{P}		Prunus ssp	Purple Plum, Carolina Laurel Cherry
T	٠.	Quercus emeryi	Emory Oak

Trees, Continued:

$\boldsymbol{\mathit{T}}$	Quercus gambelii		Gamble Oak
N	Sambucus carnadensis	·	Elderberry
T	Sophora secundiflora		Mescal Bean, Texas Mountain Laurel
T	Vitex agnus-castus		Chaste Tree

Shrubs and Accent Plants:

	,	
P	Abelea grandiflora	Glossy abelia
T	Acacia redolens	Ground Cover acacia
\boldsymbol{P}	Acanthus mollis	Bear's Breech
N	Agave americana	Century Plant
N	Agave huachucensis	Wide-leaf agave
N	Agave vilmoriniana	Octopus agave
N	Agave weberi	Smooth-edge agave
P	Ajuga reptans 'purpurea'	Bronze ajuga
N	Aloe barbadensis	Aloe vera
T	Aloe ferox	Cape aloe
N	Ambrosia deltoidea	Bur sage
P	Antigonan leptopus	Queens Wreath
T	Arctostaphylos pungena	Poinleaf manzanita
N	Ascleplas subulata	
N	Ascleplas linstis	
P	Asparagus desniflorus sprengeri	Asparagus fern
\boldsymbol{P}	Asparagus falcantus	Asparagus fern
N	Atrplix ssp	Saltbrush (many varieties)
T	Baccharts polularis	Coyote bush
N	Baileya multiradiata	Desert marigold
\dot{P}	Bambusa ssp	Bamboo
\overline{P}	Bougainvillea ssp	Bougainvillea
\overline{T}	Caesalpina gilliesii	Mexican Bird of Paradise
\overline{T}	Caesalpina pulcherrima	Red Bird of Paradise
\boldsymbol{P}	Callistemon citrinus	Lemon Bottlebrush
P	Callistemon viminalis	Weeping Bottlebrush
P	Camellia japonica	Camellia (many varieties)
\boldsymbol{P}	Carissa grandiflora	Natal Plum
T	Cassia ssp	Cassia and Senna (many varieties)
N	Carnegiea gigantea	Saguaro
T	Convolbulus mauritanicus	Ground Morning Glory
\boldsymbol{P}	Cotoneaster ssp	Cotoneaster (many varieties)
P	Cycas revoluta	Sago Plum
P	Cyperus alternifolius	Umbrella Plant
N	Dasyliron wheeleri	Desert Spoon
N	Dodonaea viscosa	Hopseed Bush
N	Echinocereus engeimannli	

Shrubs and Accent Plants, continued;

P	Eleaeagnus macrophylla 'Ebingei'	Silverberry
\mathcal{N}	Encelia farnosa	Brittle Bush
N	Encelia trifurca	
N	Ephedra faciculata	
N	Eripgonum faciculatum v. poliofoliu	ım
$\stackrel{\sim}{P}$	Euonymus ssp	Euonymus
\hat{P}	Fatshedera lizei	Fatshedera
P	Fatsia japonica	Aralia
\overline{T}	Feijoa sellowiana	Pineapple Guave
N	Ferocacius ssp	Barrel Cactus
$\stackrel{-}{P}$	Ficus ssp	Fig
N	Fouquiria splendens	Ocotillo
$\stackrel{-}{P}$	Gardenia jasminoides	Gardenia (many varieties)
T	Gazania ssp	Gazania (many varieties)
T	Gelsemium sempervirens	Carolina jasmine
N	Gutierrezia sarothrae	Cui cimo jasmino
P	Hedera ssp	Ivy
\overline{T}	Hesperaloe paraviflora	Red Aloe
\tilde{P}	Hibiscus ssp	Hibiscus
\overline{P}	Ilex ssp	Holly
\hat{P}	Jasminum ssp	Jasmine
\overline{T}	Juniperus ssp	Juniper (see Appendix B)
N	Justica spigera (Californica)	Desert Honeysuckle
$\stackrel{\cdots}{P}$	Lagerstroemia indica	Crape Myrtle
T	Lantana ssp	Lantana
N	Larrea divaricata	Creosote Bush
T	Leucophyllum frutescens	Texas Ranger
P	Ligistrum ssp	Privet
P	Liriope muscari	Liriope
N	Lotus rigidus	
N	Lycium exsertum	
N	Lycium fremonfii	
N	Lysiloma thornberi	Feather Bush
, P	Macfedyena unguis-cati	Cat's Claw Vine
T	Mahonic aquifolium	Oregon Grape
T	Malehore crocea	Ice Plant
P	Motsrs itifioifrd	Fortnight Lily
\boldsymbol{P}	Myrtus comminus	Myrtle
T	Nandina domestica	Heavenly Bamboo
. P	Nerium oleander 'petite'	Dwarf Oleander (see Appendix B)
N	Nolina microcarpa	
\boldsymbol{P}	Ophiopogon japonicus	Mondo Grass
N	Opuntia ssp	Prickly Pear Cactus
T	Osteospermum fruticosum	Trailing African Daisy

Shrubs and Accent Plants Continued:

T	Penstemon ssp	Penstemon
P	Pilodendron selloum	Phiolodendron
T	Photineia ssp	Photinia
P	Pittosporum ssp	Mockorange
T	Potentilla ssp	Cinquefoil
P	Pyracantha ssp	Pyracantha
\boldsymbol{P}	Raphiolepis indica	Indian Hawthorn
\boldsymbol{T}	Rhus ovata	Sugar Bush
T	Rose	Rose
T	Rosa banksiae	Lady Banks' Rose
T	Rosmarinus officinalis	Rosemary
T	Santolina ssp	Santolina
T	Senecio cineraria	Dusty Miller
N	Simmondsia chinesis	Jojoba
\boldsymbol{P}	Spirea ssp	Spirea
T.	Tecoma stans	Trumpet Bush
\boldsymbol{P}	Tecomaria capensis	Cape Honeysuckle
$m{T}$.	Teucrium chamaedrys	Germander
\boldsymbol{P}	Trachelospermum	Star Jasmine
N	Trixis californica	
N	Vauquelinia californica	Arizona Rosewood
\boldsymbol{P}	Viburnum ssp	Viburnum
N	Viguira deltoidea	
\boldsymbol{P}	Vinca ssp	Periwinkle
N	Yucca baccata	Yucca
N	Yucca ssp	Yucca (many varieties)
	•	

- 1. Many species of tree or shrub whose mature height may reasonably be expected to exceed the height of the related Structure (see 3.8 Height of Landscaping) with the exception of those species specifically listed in Appendix A or those approved by the AC, are prohibited.
- 2. Specific plants prohibited because of aestetic reasons or their allergy-producing characeristics, or susceptibility to disease include:

Betula ssp Birch (aesthetic) Cupressus Cypress (aesthetic) Eucalyptus All Varieties (aesthetic) Fraxinus velutina Arizona Ash (aesthetic) Populus fremontii & augustifolia Cottonwood (aesthetic) Platanus wrightii Sycamore (aesthetic) Parkinsonia aculeata Mexican Palo Verde (disease) Pistacia ssp Pastiche (aesthetic) Salix (many species) Willow (aesthetic) Melia acedarach Mulberry (law) Magnolia (many species) Magnolia (aesthetic) Acer (many species) Maple (aesthetic) Arundo donax : Giant Reed (aesthetic) Baccharis sarothroides Desert Broom (weed) Gleditsia ssp Locust (aesthetic) Grevillea ssp Silk Tree (aesthetic) Olea europaea Olive (law) Rhus Lancea African Sumac (aesthetic)

- 3. Fountain grass (Pennisetum setaceum) and pampas grass (cortaderia Lselloana) will be prohibited as a defined weed with the potential to spread through the development.
- 4. Common Bermuda Grass will be prohibited as a defined weed and for its profuse production of allergy-producing pollen. See 3.18 Project Development Area Landscaping for the criteria of approve grass installations.
- 5. All Citrus, Palms, Oleanders, Pines, Cypress, False Cypress, Juniper, and Cedar whose mature growth height may reasonably be expected to exceed ten feet will be prohibited for aesthetic reasons. Dwarf varieties, and those specimens whose mature growth height may reasonably be expected to be maintained at less than ten feet, may be installed on individual Lots within walled yard areas.

Sonoran Desert Willow Estates HOA DESIGN MODIFICATION REQUEST – ACKNOWLEDGEMENT [Page Two]

Scale drawings are not required; however, an accurate description of the proposed modification, and its location on the lot, must be attached and submitted as part of your request.

The Applicant should be aware of the following:

- 1. The Architectural Control Committee (made up of your neighbors) has 30 (thirty) days in which to respond to this request.
- 2. All permits required for this project are the sole responsibility of the Owner (property owner and member of the HOA).
- 3. No work shall commence until the Owner has received written approval by the Committee.
- 4. The Architectural Committee will not address disputes between adjacent property owners.
- 5. The applicant is responsible for correcting any damage caused to common areas, streets, walls, or sidewalks. Materials must be stored on the Owner's property, and access over common areas is not permitted, unless specifically authorized in any approval for this request.
- 6. It is strongly recommended that the Applicant obtain written approval of neighbors. However, the neighbors' approval or disapproval will not necessarily dictate the Committee's decision.
- 7. The proposed improvement(s) will not adversely affect access or drainage through or across adjacent lots, nor shall it cause light pollution or unsafe conditions.

Owner waives statutory right (per SB1476, 2012, addressing only new builds or rebuilds of the main residential structure on owner's lot)) to the following:

- 1. An in person final design review meeting and the right to attend said meeting;
- 2. A written acknowledgment with the approval that the plans, including any amendments, are in compliance with all Association rules and guidelines;
- 3. Two onsite inspections by Association or Architectural Control Committee representatives during progress of the proposed modification;
- 4. Owner's attendance or that of owner's agent at the above onsite inspections;
- 5. A written report from the Architectural Control Committee within five (5) days of each inspection; AND
- 6. A written report within thirty (30) days of the second inspection.

Owner's Signature:	Date:	